

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
112.1060	208	12	10	29	87	4	70	117	M10 x 1.25	S	NISSAN
111.1034	215	11	9.2	39	100	3	61	129.7	13.8	S	RENAULT
110.0111	226	10	8	71.2	100	4	39.8	121.4	M12X1.5	S	VW
111.0130	227	11	9	45.8	98	4	62	117	13.2	S	FIAT
120.1044	230	20	19	43.7	94	4	74	129	M10x 1.25	V	TOYOTA
120.0225	230.8	20	18	51.4	100	4	60	125.1	12.7	V	SUZUKI
112.0105	231	12	10	45	98	4	60	125	12.5	S	CHANA
109.0123	231.7	9	7	39.5	100	5	65	125	15.6	S	AUDI/SEAT/VW
118.1076	233	18	16	29.7	108	4	91	125.7	M10 x 1.25	S	TOYOTA
118.1079	233	18	17	29.5	111	4	87	133	M10 x 1.25	V	TOYOTA
110.0324	234	10	8	37.6	100	4	62.5	142	12.6	S	HYUNDAI/KIA
116.0120	234	16	15	40.9	100	4	55.1	125	13.2	S	DAIHATSU
118.0138	234	18	16	51.2	100	4	62.1	143	12.6	V	HYUNDAI
122.0207	235	22	20	46	100	4	55	125	13	V	MAZDA/KIA
122.0227	235	22	20	45.1	100	4	55	123.8	13	V	KIA
112.1001	236	12.5	11	35.5	102	4	86	106.6	M10 x 1.25	S	CHEV/DAEWOO
120.0115	236	20	18	41	100	4	60	123	14.2	V	DAEWOO/OPEL
120.1092	236	20	18	41	100	4	59	123	12.5	V	CHEV
112.0140	238	12	11	48.2	100	4	54.1	127	14	S	TOYOTA
112.1067	238	12	10.5	31	94	4	75	143	10	S	FORD/MAZDA

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
118.0101	238	18	16	31	94	4	75	143.5	10.5	V	FORD/MAZDA
118.0110	238	18	17	48.5	100	4	54.1	127	14.5	V	TOYOTA
120.0125	238	20	17.7	41	100	4	61	128	12.7	V	RENAULT
122.1101	238	22	20	44.1	100	4	61	129.5	12.7	V	DATSUN
109.0111	239	9	8	47.6	100	4	61	155	13	S	HONDA
112.0106	239	12	10	35.4	100	4	65	124.5	13.6	S	SEAT/VW
112.1072	239	12	10	34.6	90	4	73	115	10.5	S	TOYOTA
120.0123	239	20	18	39	100	4	65	123.8	13.6	V	SEAT/VW
112.0141	239.5	12	10	42.9	108	4	63.5	136	13.7	S	FORD/MAZDA
108.0114	240	8	7	80.6	100	4	52.3	55	M12X1.5	S	RENAULT
110.0251	240	10	8	42	100	4	57	140.8	14.4	S	OPEL
111.0119	240	11	9	40	98	4	59	123	13.4	S	ALFA/FIAT
118.0107	240	18	16	45.2	100	4	61	130	12.6	V	NISSAN
120.0147	240	20	18	43	108	4	63.5	136	13.7	V	FORD/MAZDA
120.0158	240	20	18.2	46.5	98	4	59	124.5	13.2	V	FIAT
121.0104	240	21	19	44.8	100	4	61	125	13	V	HONDA
121.0113	240	21	19	39.2	100	4	61	126.5	13	V	HONDA
122.1060	240	22	20	48	100	4	55	128	14.4	V	TOYOTA
118.1075	241	18	16	48.7	100	4	62	125	12.6	V	HYUNDAI/KIA
119.0115	241	19	17	48	100	4	62.2	125.2	12.6	V	HYUNDAI

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
119.1001	241	19	17	52	100	4	63.4	144	12.6	V	HYUNDAI
119.0106	242	19	17	44.1	100	4	61	122	12.6	V	HONDA
119.0109	242	19	17	40.5	104	4	86	144	M10 x1.25	V	HYUNDAI
113.0158	243	13.5	12.5	47.4	100	4	54	130.5	14.3	S	TOYOTA
113.1064	243	13.5	12.6	47	100	4	55	130.7	14.4	S	TOYOTA
110.0201	245	10	8	64.2	112	5	68	135.5	16	S	AUDI/VW
110.0210	245	10	8	83.6	112	5	45.2	50.25	M14 x 1.5	S	AUDI
110.0261	245	10	8	40	112	5	68	135.5	15.3	S	AUDI
113.0185	247	13	11	34.2	108	4	66	133	13.2	S	CITROEN/PEUGEOT
120.0180	247	20	18	35.3	100	4	55	129	13.2	V	CITROEN/PEUGEOT/TOYOTA
122.1062	249	22	20	30.5	107	6	81	140	10.6	V	NISSAN
122.1041	250	22	20	36	108	6	88	148	M12x1.25	V	ISUZU
122.1083	250	22	20	37	103	6	81	140	10.6	V	NISSAN
118.0123	251	18	16.6	33.5	102	6	80	153.5	M10X1.25	V	ISUZU
110.0209	251.4	10	9	50.5	98	5	59	127.5	13.2	S	ALFA
118.0144	252	18	16	48.7	100	4	62.2	125	12.6	V	HYUNDAI
120.0211	252	20	18	40	100	4	60	125.3	12.7	V	SUZUKI
122.1063	252	22	20	36	109	6	88	152	M12x1.25	V	ISUZU
124.1076	252	24	22	24	108	6	86	156	10.4	V	FORD/MAZDA
110.0115	253	10	8.9	33	108	4	63.5	155	13.7	S	FORD

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
120.0166	253	20	18.4	28.6	104	5	84	148	10.6	V	HYUNDAI
124.0187	254	24	22	50.7	100	4	55	140.7	13	V	KIA
124.1003	254	24	22	39	108	6	87	152	M12x1.25	V	MITSUBISHI
110.0277	254.7	10	8	51.6	112	5	65	140	15.3	S	AUDI/SEAT/VW
112.0148	255	12	10	40	112	5	68	144.5	15.7	S	AUDI
122.1035	255	22	20	46.3	100	4	55	130	14.6	V	TOYOTA
125.1001	255	25	23	41.5	100	4	74	152	M12x1.25	V	TOYOTA
125.1032	255	25	23	49	100	4	55	129	14.5	V	TOYOTA
128.0114	255	28	26	49	114.3	5	62	146.5	14.4	V	TOYOTA
118.0151	256	18	16	46.8	100	4	62.2	125	12.6	V	HYUNDAI
119.0116	256	19	17	47.9	100	4	62.2	125	12.5	V	HYUNDAI
120.0128	256	20	18	38.8	100	4	65	131	13.6	V	SEAT/VW
120.1053	256	20	18	20	108	6	86	156	10.4	V	FORD/MAZDA
122.0151	256	22	19	36.6	100	5	65	133.5	15.6	V	AUDI/SEAT/VW
122.0260	256	22	20	46.6	100	4	62.2	126	12.5	V	HYUNDAI/KIA
122.0281	256	22	19	36.6	100	4	65	132	12.3	V	VW
122.1000	256	22	20	43.8	100	5	62.2	125	12.6	V	HYUNDAI/KIA
124.0115	256	24	22	41	100	4	60	123	14.3	V	DAEWOO/OPEL
124.0152	256	24	21	41	100	4	60	123	14.3	V	OPEL
124.1077	256	24	22	41	100	4	59.2	123	12.5	V	CHEV

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
124.1084	256	24	21	45.5	100	4	60	125.2	12.6	V	CHEV
126.1071	256	26	24	40	109	6	88	155	M12x1.25	V	ISUZU
122.0146	257	22	20	49.2	114.3	4	68	144	12.6	V	NISSAN
122.0156	257	22	20.6	36	109	6	88	152.5	M12x1.25	V	ISUZU
122.0165	257	22	20	45	100	4	55	125	13	V	MAZDA
122.0170	257	22	20	34	104	4	86	160.5	10.5	V	HYUNDAI/SUZUKI
122.0231	257	22	20	40.5	100	4	60	126	14.2	V	FIAT/OPEL
122.1100	257	22	20	45.6	100	4	55	132	14.5	V	TOYOTA
124.1004	257	24	22	45.5	114.3	4	69	141	12.7	V	HYUNDAI
125.0118	257	25	23	46.6	110	5	84	145	M10x1.25	V	TOYOTA
125.1033	257	25	24	46.6	110	5	85	145	M10x1.25	V	CAM/FOTON/GWM/FUDI/MEIYA
126.0112	257	26	24	45.5	100	4	61	133	12.7	V	NISSAN
126.0175	257	26	24	53.7	114.3	4	68	141.6	12.8	V	NISSAN
128.0105	257	28	26	58.4	114.3	5	62	141	14.5	V	TOYOTA
108.0113	258	8	7	57.2	112	5	67	164	15	S	MERCEDES
109.0118	258	9	7.3	55.5	112	5	67	164	15	S	MERCEDES
109.0120	258	9	7.3	55.5	112	5	67	164	13.2	S	MERCEDES
109.0138	258	9	8	55.9	100	4	55	172	14.5	S	TOYOTA
121.0115	258	21	19	39.2	100	4	64.2	142	12.6	V	HONDA
122.0172	258	22	20	43.4	108	4	63.5	136	13.7	V	FORD

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
122.0270	258	22	19.8	44	100	4	61	124.5	13.5	V	RENAULT
122.0289	258	22	19.8	44	100	4	61	126.5	13.5	V	RENAULT
122.1061	258	22	20	47	100	4	55	133	14.3	V	TOYOTA
123.0107	258	23	21	44.1	100	4	55	135.2	13.2	V	FORD/MAZDA
123.0113	258	23	21	44	108	4	63.5	135.5	13	V	FORD
124.0129	258	24	22	48.6	114.3	5	72	142.5	13	V	FORD/MAZDA
109.0155	259	9	7.5	30.4	114.3	5	62	154.4	14.7	S	TOYOTA
121.0106	259	21	17.7	41	100	4	61	131.7	12.8	V	RENAULT
122.1099	259.8	22	20	44	114.3	4	68	142	12.8	V	NISSAN
110.0204	260	10	8	69.2	100	4	57	160	14	S	OPEL
112.0158	260	12	10	48.6	112	5	65	140	15.3	S	AUDI/VW
122.0168	260	22	19.4	40.4	112	5	67	160	13.3	V	MERCEDES
122.0216	260	22	20	44	100	4	61	124	13.6	V	NISSAN/RENAULT
122.0277	260	22	20	43.9	100	4	61	127.6	12.7	V	NISSAN
124.0166	260	24	21	41	100	4	60	126	14.2	V	CHEV/OPEL
126.1001	260	26	24	36.5	103	6	81.3	142	11	V	NISSAN
124.1080	261	24	22	24	108	6	86	153.8	10.5	V	KIA
121.1001	261.8	21	19	44.7	100	4	61	131	12.7	V	HONDA
121.0105	262	21	19	44.7	100	4	64.1	141	13	V	HONDA/MG
121.0114	262	21	19	70	110	5	85	129	10	V	TATA

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
123.1001	262	23	21	43.9	108	4	63.5	135.7	13.8	V	FORD
124.1042	262	24	22	29.3	100	4	76	146	10.5	V	TOYOTA
110.0250	264	10	8.4	42	110	5	65.5	145	14	S	OPEL
111.0155	265	11	9	40.8	108	5	63.5	152.6	13.8	S	FORD
120.0133	266	20	18.5	27.6	108	4	66	133	13	V	CITROEN/PEUGEOT
122.0194	266	22	20	34	108	4	66	133	13	V	CITROEN/PEUGEOT
122.0180	267	22	20	39.5	124	6	100	167	M10X1.25	V	NISSAN
112.1101	268	12	10	45.2	105	5	60	147	14.2	S	CHEV
109.1032	269	9	8	55.7	100	4	55	173	14.6	S	TOYOTA
123.0119	269	23	19.8	44.1	114.3	5	68	138.7	15.5	V	RENAULT
110.1090	270	10	8	36.8	114.3	5	62	155	14.6	S	TOYOTA
110.0356	272	10	8	48.3	112	5	65	140.1	15.4	S	AUD/SEAT/VW
116.0110	272	16	14	96.7	130	5	85	160	15.2	S	MERCEDES/VW
122.1082	272	22	20	24.6	116	6	93	170	10.2	V	FORD/MAZDA
126.1070	273	26	24	49.2	114.3	5	62	142	14.5	V	TOYOTA
124.0175	273.5	24	22	47.4	114.3	5	72	142	13.2	V	MAZDA/KIA
111.0101	274	11	9.5	82.3	108	5	52.3	144	M12X1.5	S	RENAULT
124.1081	274	24	22	24	116	6	93	167	10.7	V	FORD
126.0108	274	26	24	44.5	106	5	87	132	10.5	V	HYUNDAI
122.0254	275	22	19	46.3	100	4	55	130.4	14.5	V	TOYOTA

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
122.0256	275	22	20	46.6	114.3	5	62	145	14.75	V	TOYOTA
125.0103	275	25	23	49.6	100	4	55	130.9	14.5	V	TOYOTA
126.0155	275	26	24	47.2	114.3	4	69	141.2	13	V	KIA
128.0115	275	28	26	50	114.3	5	62	159	14.7	V	TOYOTA
128.1007	275	28	26	58.6	114.3	5	62	144	14.6	V	TOYOTA
122.0204	275.8	22	20.4	44	100	4	64.2	142.5	14.8	V	MINI
119.0107	276	19	17.4	60.3	120	5	75	160.8	14.5	V	BMW
122.0161	276	22	19	77.2	130	5	85	156.3	15	V	MERCEDES/VW
122.0232	276	22	19.4	44.5	112	5	67	145	15.2	V	MERCEDES
124.0140	276	24	22.4	45	108	6	87	174	10.6	V	MITSUBISHI
124.0258	276	24	21	49.6	112	5	65	144.5	15.3	V	AUDI/VW
124.1002	276	24	22	45	108	6	87	136	M12x1.25	V	MITSUBISHI
124.1018	276	24	22	50.3	112	5	66	144	15.5	V	VW
126.0131	276	26	24.4	45.5	114.3	4	69	145	12.6	V	MITSUBISHI
126.0134	276	26	24.4	45.5	114.3	5	69	145	12.5	V	MITSUBISHI
126.1073	276	26	24	45.5	105	5	60	139	14.2	V	CHEV
122.0175	277	22	20.4	45	108	6	87	170	10.7	V	MITSUBISHI
126.0109	277	26	24	39	124	6	100	137.9	M10x1.25	V	NISSAN
126.1075	277	26	24	49.2	114.3	5	62	142	14.6	V	TOYOTA
109.0114	278	9	7.3	55.5	112	5	67	164	13.3	S	CHRYSLER/MERCEDES

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
109.0154	278	9	7.3	57.5	112	5	67	164	15.4	S	MERCEDES
113.0137	278	12.6	10.6	63.3	104	5	80	127.5	13.2	S	MERCEDES
122.0106	278	22	20	66.3	112	5	80	127.5	15	V	MERCEDES
123.0122	278	23	21	43.9	108	4	63.5	134.7	13	V	FORD
125.0117	278	25	23	48.5	108	5	63.5	140	13.8	V	FORD/VOLVO
125.0210	278	25	23	40	108	4	63.5	136	13.7	V	FORD
125.1034	278	25	23	48.5	114.3	5	72	140	13.8	V	FORD/MAZDA
126.1077	278	26.2	24	26.9	120	5	92	143.2	12.2	V	KIA
130.1000	278.8	30	28	46.5	124	6	100	156.8	M10x1.25	V	NISSAN
110.0202	280	10	8.4	60	120	5	75	160.8	14.5	S	BMW
110.0228	280	10	8	65.2	112	5	67	178	15	S	MERCEDES
110.0302	280	10	8	40.2	114.3	5	72	142	13	S	MAZDA
110.0314	280	10	8.4	65	120	5	75	160.8	14.7	S	BMW
111.0158	280	11	9	40.8	108	5	63.5	148.7	13.8	S	FORD/VOLVO
112.0154	280	12	10.5	34	108	5	63.6	151	13.7	S	FORD/JAGUAR
122.0100	280	22	20	28.5	100	5	65	141	15.6	V	VW
122.0150	280	22	19	36.5	100	5	65	133.5	16	V	AUDI/VW
122.0179	280	22	20	49.2	114.3	4	68	143.3	13	V	NISSAN
122.0210	280	22	20	49.9	112	5	65	144	15.5	V	AUDI/SEAT/VW
122.1066	280	22	19.4	43.9	100	4	62.2	143.5	12.6	V	HYUNDAI/KIA

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
123.0123	280	23	21	44.4	114.3	5	69	143	12.5	V	HYUNDAI
124.0158	280	24	21.8	44	100	4	61	140	13.8	V	RENAULT
124.0221	280	24	21.8	44	114.3	5	68	139.7	15.7	V	RENAULT
124.0253	280	24	21.8	44	100	4	61	139.7	13.8	V	RENAULT
124.1005	280	24	22.6	37	109	6	88	152.3	M12x1.25	V	ISUZU
124.1083	280	24	22	44	114.3	5	68	143.2	12.8	V	NISSAN
125.0131	280	25	22	42	110	5	70	139	14.2	V	OPEL
125.0148	280	25	23	42	100	4	60	139	14.2	V	OPEL
125.0200	280	25	22.4	51.2	112	5	67	144.8	15.3	V	MERCEDES
126.1074	280	26	24	36	109	6	88	190	M12x1.25	V	GWM
127.0001	280	27	25	40	109	6	88	175	M12x1.25	V	ISUZU
128.0140	280	28	26	49.2	114.3	5	68	144	12.8	V	NISSAN
128.1004	281	28	26	58.6	114.3	5	62	152.3	14.5	V	TOYOTA
123.0110	282	23	21	47.2	114.3	5	64.2	114.3	12.6	V	HONDA
126.0120	283	26	24	34.2	108	4	66	133.5	13	V	CITROEN/PEUGEOT
112.0128	284	12	10	43.5	112	5	67	154.3	13.5	S	MERCEDES
122.0123	284	22	19.4	43.5	112	5	67	154	15	V	MERCEDES
122.0132	284	22	19.4	43.5	112	5	67	154	13.3	V	MERCEDES
122.0145	284	22	20.2	43.5	98	5	59	127	12.9	V	ALFA/FIAT
122.0206	284	22	19	38.2	100	5	64.2	142	15.3	V	ROVER/MG

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
122.0239	284	22	20	73	120	5	79	152	14.8	V	BMW
122.0241	284	22	20	43.5	100	4	60	127	14.2	V	FIAT/OPEL
124.0172	284.5	24	22.4	51	139.7	5	96.3	139.6	12.6	V	KIA
122.0196	285	22	20	93	145	6	120	167	15	V	MERCEDES
128.1000	285	28	26	48.5	127	6	105	154	10.5	V	CAM/TOYOTA
112.0126	286	12	10.4	51.6	120	5	79	148	14.5	S	BMW
112.0169	286	12	10	48.6	112	5	65	159	15.3	S	AUDI/SEAT/VW
122.0115	286	22	20.4	51.5	120	5	79	148	14.8	V	BMW
112.0151	288	12	10	64.8	108	5	68	178	16.8	S	VOLVO
125.0105	288	25	23	46.5	112	5	68	135	15.6	V	AUDI/VW
125.0108	288	25	23	28.6	100	5	65	136	16	V	VW
125.0110	288	25	22.4	46.9	112	5	67	154.3	13.3	V	CHRYSLER/MERCEDES
125.0113	288	25	22	34.5	100	5	65	136	15.7	V	AUDI/SEAT/VW
125.0145	288	25	23	49.7	112	5	65	144	15.5	V	AUDI/SEAT/VW
125.0167	288	25	22.4	44.5	112	5	67	154.3	15.3	V	MERCEDES BENZ
128.0708	288	28	26	64.8	114.3	5	72	158	15.7	V	JEEP
120.0168	289	20	18	64.2	127	6	100	156	10.7	V	TOYOTA
128.1002	289	28	26	70	139.7	6	98	163	13	V	FORD/MAZDA
110.0217	290	10	8.4	55.5	112	5	67	164	13.4	S	MERCEDES
110.0242	290	10	8	46.2	139.7	5	107	182.5	13	S	SUZUKI

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
110.0320	290	10	8.5	56.7	114.3	5	62	180	14.6	S	TOYOTA
126.0145	290	26	24.4	46.3	139.7	6	94	171	12.5	V	MITSUBISHI
116.0119	292	16	14	62	114.3	5	68	172	12.8	V	NISSAN/RENAULT
122.0238	292	22	20	73	120	5	79	152	14.8	V	BMW
124.0196	293.5	24	22.4	56.7	100	5	58	129	12.8	V	SUBARU
119.0108	294	19	17.4	59.2	120	5	75	160.8	14.7	V	BMW
124.1082	294	24	22	45.6	114.3	5	69	143	12.6	V	MITSUBISHI
126.0170	294	26	24.4	45.5	114.3	5	69	145	13	V	CHRYSLER/CITROEN/DODGE/ JEEP/MITSUBISHI/PEUGEOT
128.1003	294	28	26	46.4	139.7	6	94	171	12.5	V	MITSUBISHI
125.0208	295	25	23	51.5	114.3	5	68	142	13.3	V	MAZDA
126.1003	295	26	24	49.4	114.3	5	62	140.9	14.6	V	TOYOTA
128.0100	295	28	26	64.5	112	5	67	154.3	15.4	V	MERCEDES
128.0141	295.5	28	25.4	54.5	112	5	67	154	15.3	V	MERCEDES
110.0280	296	10	8	57.6	112	5	67	186	15	S	MERCEDES
122.0159	296	22	20.4	76.3	120	5	79	149	14.5	V	BMW
126.0154	296	26	24.4	44	114.3	5	68	160	12.8	V	NISSAN
126.0185	296	26	24	44	114.3	5	68	142	12.8	V	NISSAN/RENAULT
128.0121	296	28	26	38	114.3	6	68	160	12.7	V	NISSAN
128.0159	296	28	25	49.2	114.3	5	62	145	14.5	V	TOYOTA
128.1006	296	28	26	53.2	114.3	6	68	154.1	12.8	V	NISSAN

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
135.1000	296	35	33	90	167	5	126	177.6	M14x1.5	V	TOYOTA
125.1035	297	25	23	67.4	139.7	6	108	167.7	14.4	V	TOYOTA
128.0277	297	28	26	51.5	114.3	5	68	142	13.1	V	MAZDA
114.0108	298	14	13	70	127	5	101.6	161	10.3	S	LAND ROVER
120.0154	298	20	18.4	61.3	120	5	75	185	14.6	V	BMW
124.0143	298	24	22	70	127	5	101.6	155.3	10.6	V	LAND ROVER
128.1010	298	28	26	49.3	114.3	5	62	150	14.7	V	TOYOTA
110.0117	300	10	8.4	61	120	5	75	180	14	S	BMW
110.0328	300	10	8.3	57.5	112	5	67	164	15.3	S	MERCEDES
120.0195	300	20	18	66.1	120	5	75	160.7	14.5	V	BMW
120.0204	300	20	18.4	66	120	5	75	185	14.6	V	BMW
120.0240	300	20	18.4	66	120	5	75	185	16.5	V	BMW
122.0160	300	22	20.4	51.8	120	5	79	163.8	14.7	V	BMW
122.0278	300	22	20.4	73.2	120	5	79	150	16.7	V	BMW
124.0197	300	24	22.4	73.3	120	5	79	152	14.7	V	BMW
124.0198	300	24	22	44.5	120	4	63.5	156.5	13.7	V	FORD
125.0162	300	25	23	48.6	108	5	63.6	140	13.8	V	FORD/VOLVO
125.1036	300	25	23	47.2	114.3	5	64.1	140	12.8	V	HONDA
126.0166	300	26	24	45.5	115	5	70.7	149	14.2	V	CHEV/OPEL
126.0182	300	26	23	45.5	105	5	60	149	14.3	V	OPEL

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
127.0002	300	27	25	40	109	6	88	195	M12x1.25	V	ISUZU/CHEV
128.0106	300	28	25.4	46.5	112	5	67	154	13.2	V	CHRYSLER/MERCEDES
128.0145	300	28	25	58.5	112	5	67	153	15	V	MERCEDES BENZ
128.0166	300	28	26	38	124	6	100.1	183.5	M10x1.25	V	NISSAN
128.0203	300	28	25	68.5	130	6	85	155	15	V	MERCEDES/VW
128.0234	300	28	26.4	47.4	114.3	5	69	141.5	12.5	V	HYUNDAI
128.0256	300	28	26	47.2	114.3	5	69	142.7	12.5	V	HYUNDAI/KIA
130.1001	300	30	28.4	52.4	139.7	6	96.3	163	12.5	V	HYUNDAI
120.0153	302	20	19	48	139.7	6	100	166.5	15.2	V	TOYOTA
128.0147	302	28	26.5	39	114.3	5	73.5	146.3	14	V	CHRYSLER
132.1000	302	32	30	61	139.7	6	98	163	13.2	V	FORD/MAZDA
126.0116	303	26	23	51.5	112	5	67	168	15.4	V	MERCEDES BENZ
128.0251	303	28	26	56.9	120	5	76	165.2	16.6	V	VW
126.0130	305	26	24	63.5	127	5	72	170	15.8	V	JEEP
128.0123	305	28	25	50.3	108	5	68	139	16.5	V	VOLVO
128.0129	305	28	26	77.8	130	5	90	157	15.8	V	NISSAN/OPEL
125.0142	308	25	23	42	110	5	70	139	14	V	OPEL/SAAB
130.0114	308	29.5	25.5	55.6	120	5	76.2	154.8	16.6	V	VW
122.0219	310	22	20	48.5	112	5	65	169.4	15.3	V	AUDI/VW
124.0181	310	24	22.4	77	120	5	79	161	14.6	V	BMW

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
118.1080	312	18	16	67.9	139.7	6	108	210	12.7	V	TOYOTA
124.0203	312	24	22.4	73.7	120	5	79	152	14.7	V	BMW
125.0123	312	25	23	34.5	100	5	65	185	16	V	AUDI/SEAT/VW
125.0137	312	25	23	46.5	112	5	68	158	15.3	V	AUDI
125.0158	312	25	22	49.9	112	5	65	146	15.3	V	AUDI/SEAT/VW
125.1039	312	25	22.4	48.6	100	5	65	135.5	15.3	V	VW
125.0149	314	25	23	59.7	112	5	68	134.9	15.3	V	AUDI
125.0184	314	25	23	52	112	5	68	154	15.2	V	AUDI
128.1001	318.8	28	26	67.3	139.7	6	108	172	14.5	V	TOYOTA
122.0185	319	22	20	70.2	139.7	6	108	173	14.6	V	TOYOTA
120.0183	320	20	18.4	61.2	120	5	75	185	14.5	V	BMW
122.0209	320	22	20.4	60.5	120	5	75	185	14.5	V	BMW
128.0242	320	28	26	44	114.3	5	68	142.8	12.8	V	NISSAN
128.0245	320	28	25.4	44	114.3	5	68	147.7	15.8	V	RENAULT
128.1005	320	28	26	38	114.3	6	68	174.9	12.8	V	NISSAN
130.0113	320	30	28	46.5	112	5	68	137	15.2	V	AUDI
128.0248	321	28	26.4	49.2	114.3	5	69	142.9	12.5	V	HYUNDAI/KIA
130.0224	321	30	27	45.6	115	5	70.7	160.2	14.2	V	OPEL
130.0173	324	30	28.4	77	120	5	79	165	14.8	V	BMW
125.0138	325	25	23.4	52.6	120	5	79	174	14.8	V	BMW

BRAKE DISC DIAMETER LISTING

PART No.	OUTER DIAMETER	NEW THK	MIN THK	HEIGHT	PCD	BOLT HOLES	SPIGOT/ BEARING DIAMETER	INNER DIA	BOLT/ THREAD SIZE	VENTILATION TYPE	MODELS
	A	B	C	D	E	F	G	H	I	J	
124.0200	330	24	22.4	73.1	120	5	79	173.6	14.8	V	BMW
124.0259	330	24	22.4	45.2	112	5	67	148.5	16.8	V	BMW
128.0177	330	28	26	46.5	112	5	67	154	13.2	V	MERCEDES
130.1002	330	30	28	52.8	139.7	5	72	184	15.5	V	MAHINDRA
132.0158	330	32	29.4	54.5	112	5	67	156.3	15.2	V	MERCEDES
114.0111	331	13.9	12.3	55.3	112	5	67	184	15.3	S	MERCEDES
116.1000	332	15.8	13.5	72.1	139.7	6	93	210	13	S	FORD
128.0215	332	28	26	56.3	139.7	6	94	171	12.8	V	MITSUBISHI
122.0236	336	22	20.4	67.3	120	5	75	185	14.7	V	BMW
128.0194	338	28	26	67.3	139.7	6	108	172	14.5	V	TOYOTA
132.0174	338	32	29	68.4	139.7	6	108	171.2	14.2	V	TOYOTA
130.0225	340	30	27	49.7	112	5	65	145	15.3	V	AUDI/VW
133.0100	340	32.2	29.5	55.4	120	5	76	154.7	16.6	V	VW
124.0251	345	24	22.4	66.3	120	5	75	185.5	16.6	V	BMW
132.0114	345	32	30	51	112	5	67	156.5	15.4	V	MERCEDES
130.0195	360	30	27	62.1	120	5	79	175	15	V	LAND ROVER/RANGE ROVER